

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexasofra, Virginia 22313-1450 www.testpi.com

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/767,545	01/29/2004	Steven M. Goetz	1023-261US01	5360
28863 7590 9309/2509 SHUMAKER & SIEFFERT, P. A. 1625 RADIO DRIVE			EXAMINER	
			BOCKELMAN, MARK	
	SUITE 300 WOODBURY, MN 55125		ART UNIT	PAPER NUMBER
oobbonti			3766	
			NOTIFICATION DATE	DELIVERY MODE
			03/09/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

pairdocketing@ssiplaw.com

Application No. Applicant(s) 10/767.545 GOETZ, STEVEN M. Office Action Summary Art Unit Examiner Mark W. Bockelman 3766 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 09 December 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 19-55 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 19-55 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Information Disclosure Statement(s) (PTO/SZ/UE)
Paper No(s)/Mail Date ______.

Interview Summary (PTO-413)
Paper No(s)/Mail Date. ______.

6) Other:

Notice of Informal Patent Application.

Page 2

Application/Control Number: 10/767,545

Art Unit: 3766

DETAILED ACTION

Claim Rejections - 35 USC § 101

Claims 19-36 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Applicant's preamble raises the question as to whether or not the instructions are stored on the computer-readable medium. The examiner suggests the claims be rewritten as "A computer-readable medium having instructions stored thereon comprising:".

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 37-41, 50-54 rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Snell USPN 5.716.382.

Application/Control Number: 10/767,545

Art Unit: 3766

As an example, referring to figure 4, the algorithm selects at (2) a first parameter configuration in the form of a pacemaker stimulation. The user is prompted for an input regarding the efficacy of the pacing in terms of it's frequency of usefulness (2) and upon whether the pacing indicates neuroregulatory abnormality or not. The result of its efficacy and the location of the first parmeter configuration (at the top of the tree) selects a second parameter configuration, either VVI or DDI (1) pacing. Similarly at blocks 5 and 6, the efficacy of the pacing, which can be observed along with the responsiveness of the ventricular rate to physiological stimuli. The examiner does not give weight to whether the efficacy is "observed" during pacing or not since applicant's device merely receives an input. However, to have employed the method during pacing in various configurations would have been obvious. In addition, the examiner considers the algorithm to be a computer readable medium. The pacing suggestions would entail polarity outputs to the electrode leads. VVI and DD1 involve different target regions of the heart. The examiner considers subsequent use of the programmer to update the decision tree that was followed during it's first use. The device has a memory capable of storing applicant's instructions. If applicant were to change "a memory that stores" to "a memory having stored therein" the claims would overcome the applied art.

Claims 37-54 rejected under 35 U.S.C. 103(a) as being unpatentable over Kroll et al USPN 7,123,961 in view of Snell USPN 5,716,382.

Kroll et al teach the optimization of nerve stimulation by a device that determines (23: 15-17) an observed efficiency (optimal efficiency) (23:17-30) as well as several decision trees including one that selects leads and electrodes (23:1-15) through

Application/Control Number: 10/767,545

Art Unit: 3766

a decision process (tree) as well as a decision tree determining the type of stimulation (figure 8). Applicant's limitations of intended use such as lead placement and suggesting a configuration to the user are given no patentable weight since the leads and communication devices are not specified as part of the recited invention. The suggesting can be merely what is stored in the device. The iteration may be stopped once an optimal configuration has been found including an iteration through all configurations (iteration limit). The selection prior to stimulation (claim 32) maybe based upon performance and the selection of the configurations is a "suggestion" to try the next configuration to the user. Applicant differs in reciting a hierarchy branch of electrode configurations to form a decision tree to determine the optimal settings. To have used such a well known method for selecting configurations in a known manner would have been obvious in view of Snell 5.716.382.

With respect to claims 30-31, 48-49, applicant differs in providing electrode nodes which could merely be yes/no decision blocks indicating iteration termination based upon the configuration efficiency. Such an inclusion would be an obvious operation for carrying out the Kroll et al method with to achieve the same desired result.

Response to Arguments

Applicant's arguments filed 12-09-2008 have been fully considered but they are not persuasive.

The examiner has provided suggestions for amending the claims so that the claims correspond to the arguments. Application/Control Number: 10/767,545

Art Unit: 3766

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark W. Bockelman whose telephone number is (571) 272-4941. The examiner can normally be reached on Monday - Friday 8:00 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Layno can be reached on (571) 272 -4949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark W Bockelman/ Primary Examiner, Art Unit 3766 March 2, 2009